

Compact B&W Digital Office
Production Printer

RICOH Pro 8300s

☑ Copier ☑ Printer ☑ Scanner

RICOH
imagine. change.



RICOH
Pro 8300s

96
ppm Monochrome

Small in size. Big in flexibility.

The Ricoh Pro 8300s brings you market-leading innovation wrapped up in a small footprint, which makes it the ideal fit for office and school environments.

Along with enhanced image quality delivered at 96 ppm, the compact Pro 8300s comes with a brand new smaller finisher and simple output tray to reduce the system size.

With improved user-friendliness and higher productivity, it offers the reliability you need each and every day.

- Smaller footprint
- Shorter waiting time
- Enhanced copy functions
- Better reliability
- Simpler to use





Designed to be productive and reliable

Delivers high volume, black and white output at speeds up to 96ppm, providing the quality and reliability you need.



The perfect fit

With floor space prices going up, the small footprint and downsized finisher of the Ricoh Pro 8300s help to meet the needs of those facing space and budget constraints.



Enhanced copy function

Our new technology allows you to minimize darker area around a spine, which is generated when copying books, for clearer, easier to read results.



High image quality

The Pro 8300s uses VCSEL* technology to provide clean and smooth high definition image quality with 2400 x 4800 dots per inch resolution and higher consistent image quality over long runs.

**Vertical Cavity Surface Emitting Laser*

Increase your output with ease

Easier for everyone to use

- New large 17-inch operation panel for simpler usage
- Machine configuration can be shown
- Panel screen can be used as a tablet for remote operation



Simple output tray

The brand new simplified output tray with slide and shift for each set has a 1250 sheet capacity of 52-216gsm, making it easy to collect everything you print.



Improved reliability

- Improved purge function for better productivity
- New LED guidance for ease of operation



Better productivity and value



Media capability

- Enhances your output versatility
- Handles a wide range of paper including carbonless paper, textured and coated paper plus weights up to 300gsm



Uptime maximised

- Operators can replace Operator Replaceable Unit (ORU) to maximise uptime
- Remote assist capability to maximise uptime




Shorter waiting times

- Increased efficiency with faster warm-up time



New finisher for small spaces

- The low cost and space-saving finisher has a small footprint of 657mm length and measure 1798mm in total with mainframe
- Output paper weight from 52 - 300gsm, saddle stitched up to 20 sheets, side stitched up to 65 sheets
- The shift tray can stack up to 3000 A4 sheets and 1500 A3 sheets



RICOH Pro 8300s



- 1 Pro 8300s
- 2 Colour LCD Panel
- 3 5000 sheets A4 LCT
- 4 Standard paper trays
- 5 Booklet Finisher
- 6 ARDF Document Feeder

RICOH Pro 8300s

MAIN SPECIFICATIONS

GENERAL

Print/Copy Process:	1-drum dry electrostatic transfer system with internal transfer belt
Fusing:	Oil-less belt-fusing method
Toner Type:	Newly formulated pulverised toner
Print Speed:	96ppm
Resolution:	VCSEL: 2,400 x 4,800dpi Print: 1,200 x 1,200dpi
Warm-up Time:	300 seconds or less
Dimensions (W x D x H):	8300s: 1,141 x 900 x 1,558mm (including status light)
Weight:	413kg
Power Source:	EU: 220-240V, 13A, 50/60Hz
Max Monthly Volume:	> Life: 60,000,000 A4 pages or 5 years Duty cycle: 8300s - 2.9 million

SCANNER FEATURE

Resolution:	100/150/200/300/400/600dpi 200dpi as a default
Scan Speed:	B&W 120 simplex/220 duplex (A4 LEF/200dpi) Colour 120 simplex/220 duplex (A4 LEF/200dpi)
Maximum Scan Area:	297 x 432mm

MEDIA HANDLING

Paper Input Capacity:	1st tray (std): 1,100 sheets x 2 (Tandem Tray) 2nd tray (std): 550 sheets 3rd tray (std): 550 sheets A4/LT LCT (op) 4th tray: 1,100 sheets 5th tray: 1,100 sheets 6th tray: 2,800 sheets A3/DLT LCT (op) 4th tray: 1,100 sheets 5th tray: 2,200 sheets 6th tray: 1,100 sheets Bypass tray: 500 sheets
Maximum Input Capacity:	8,500 sheets
Maximum Output Capacity:	3,000 sheets
Paper Size:	Width: 100 x 330.2mm Length: 139.7 x 487.7mm
Paper Weight:	1st tray (std): 52.3 - 256gsm 2nd tray (std): 52.3 - 256gsm 3rd tray (std): 52.3 - 256gsm A4/LT LCT 4th tray: 52.3 - 216gsm 5th tray: 52.3 - 216gsm 6th tray: 52.3 - 163gsm A3/DLT LCT 4th tray: 52.3 - 256gsm 5th tray: 40.0 - 300gsm 6th tray: 52.3 - 256gsm Tray A: 52.3 - 216gsm

CONTROLLER

Configuration:	Embedded
CPU:	Intel® Atom® Processor Bay Trail - 1 (1.91GHz)
Memory:	2GB
HDD:	640GB
DVD-ROM Drive:	N/A
Operating System:	Linux
Network Protocol:	TCP/IP (IP v4, IP v6)
PDL:	PCL5e, PCL6, PDF, JPEG, TIFF, XPS, RP/GL2
Optional:	Adobe PostScript 3, IPDS
Font:	PCL: 45 fonts, 13 International fonts
Network Interface:	Ethernet 1000Base-T/100Base-TX/10Base-T USB2.0 TypeA (2 port on controller board, 4 ports on operational panel), USB2.0 TypeB (2 ports on controller panel), SD Slot on operational panel

OTHER OPTIONS

Input:	A4/LT Large Capacity Tray (RT5130), A3/DLT LCT (RT5110), A3/DLT Tray Kit (TK5020), Multi Bypass Tray (BY5020)
Output:	Finisher (SR5090), Booklet Finisher (SR5100), Punch Unit (PU3090), Shift Sort Tray SH5000
Others:	Decurl Unit (DU5070), ORU Type S11, PostScript3 Unit Type S11, IPDS Unit Type S11, Attention Light AL3000

WORKFLOW SOLUTIONS

Ricoh TotalFlow Prep & Production Manager, FusionPro VDP Suite

RICOH
imagine. change.

www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467
Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2019 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.