

Digital Full Colour Production Presses

# RICOH Pro C7200sx Series Graphic Arts Edition

Copier  Printer  Scanner

**RICOH**  
imagine. change.



**RICOH**  
Pro C7210sx

95  
ppm Black & White  
Full Colour

**RICOH**  
Pro C7200sx

85  
ppm Black & White  
Full Colour

## Stand out from the crowd

You need to stand out from the crowd to be able to grow and expand your business. You need innovation, high quality and productivity with great value.

The Ricoh Pro C7200sx Series has all these and much more. Combining high productivity with high quality, these new models also handle up to five speciality colours, boosting your special effects capabilities so you're perfectly positioned to expand your business.

Every model in the Ricoh Pro C7200sx Series is a single-unit powerhouse, designed to meet the market's ever changing needs and open up new business possibilities.



**RICOH Pro C7200<sub>sx</sub> Series Graphic Arts Edition**

# Transforming your printing possibilities with fifth colour



Add extra value to your print services with fifth colour and add impact to your print.

Whether it's a clear varnish to accentuate designs, white as an undercoat or a security code that can only be seen under ultraviolet light, add impact to your offerings. Ricoh's colour range now includes white, clear, neon yellow, neon pink and invisible red. To stretch imaginations, you can also switch the colour stations over, to add further impact to your print work. Imagine one job being able to include both white and clear for example.

- Fifth colour adds impact, appeal and value to commercial print.
- Use a clear varnish to add a watermark or accentuate a graphic design.
- Print a white background directly on coloured and translucent media.
- Invisible red toner can be used for entry level security print applications such as ticketing.
- White + CMYK can be printed in a single pass enhancing impact on coloured media, and increasing productivity.





## Outstanding image quality

Ricoh's new production presses produce repeatable colour output with a look and feel that is comparable to offset – with no compromise on quality. The imaging system employs VCSEL technology (vertical cavity surface emitting lasers), ultra-fine PxP chemical toner and an oil-less fusing system to produce a beautifully rendered output.

The PxP toner has a wide colour gamut, enabling the printers to produce vivid lifelike colours with smooth tonal gradation.

- Print quality that is comparable to offset.
- Vivid lifelike colours, smooth tonal gradation and fine lines.
- Low toner pile height minimises glossiness.
- Precise front/back registration with added automatic quality control.

## Extensive media support



The Pro C7200sx Series supports media weights of 52 to 360gsm at full rated speed and will print onto a wide variety of stock, including gloss and matt coated offset media, textured card, carbonless paper and envelopes.

Further expanding the range of potential applications, the new production presses also support duplex printing on media up to 700mm and simplex printing of long sheet stock up to 1260mm.

The onboard media library, which contains automated settings for a variety of branded media types, simplifies set-up and ensures reliable performance.

- Pro C7200sx Series supports media weights of 52 to 360gsm.
- Gloss and matt coated offset media, textured card and carbonless paper.
- Extensive onboard media library contains settings for a variety of branded media.
- New media management tool (MMT) allows settings to be shared between devices.

## Productive performance

Production printing operations require reliable and productive technology that allows you to produce high quality print output at an affordable price. Outstanding repeatable image quality is a must, and required to support businesses wishing to move to a digital print platform as a support or replacement to their offset equipment.

- 85 or 95ppm (A4).
- Full engine speed maintained at all paper weights.
- Auto duplex long sheet printing up to 700mm. Simplex up to 1260mm.
- Trained operator replaceable units for ultimate uptime.
- Easy jam removal with animated guidance and LED lights.



## Tailored to your needs



### Configured for you

The new systems can be tailored to meet all of your production needs, with additional inline feed and finishing options. This includes an optional vacuum feed LCT, supporting a broad range of media up to 360gsm.

Other finishing options include a staple finisher, a booklet maker and trimmer unit, a multifolding unit that supports six fold patterns, a high capacity interposer, a GBC StreamPunch, inline ring and perfect binding systems as well as twin high capacity stackers and a professional Plockmatic booklet making system.

### EFI Digital Front Ends

To support clients with Fiery workflows, powerful EFI print servers are available. Based on the new Fiery FS300 Pro system software, the colour Digital Front Ends E-85A and E-45A lever the latest Fiery technology enhancements to deliver a fast performance and outstanding colour out of the box.

The new Fiery Digital Front Ends include powerful tools to make expert colour adjustments, plus job make-ready and automation enhancements for greater workflow efficiency.



### TotalFlow Print Server

The TotalFlow Print Server offers an Adobe PDF Print Engine (APPE) based Digital Front End perfect for corporate print rooms or commercial print environments handling either PDF or IPDS / AFP data streams (option).

For corporate print rooms environments, clients can add optional onboard make-ready tools powered by TotalFlow Prep offering a highly functional application for imposition, composition and page level editing.

For commercial print environments, clients can connect to existing pre-press workflows (Kodak Prinergy, Agfa Apogee and Heidelberg Prinect) using industry standard JDF technology enabling seamless integration and bidirectional feedback on job status. The choice of Kodak or Heidelberg APPE Rip technology also offers rendering integrity versus CTP output.



# Ricoh software

## TotalFlow Prep

**TotalFlow Prep** provides a highly functional, easy to use make-ready application for corporate print rooms and copy shops.

TotalFlow Prep offers powerful tools for imposition, composition, scanned copy correction, page level editing and more. Repeat tasks and jobs can be automated via hot folders and traditionally complex tasks such as adding tabs, bleed edge tabs and sub-set finishing can quickly be added, previewed and managed for output with ease.

## TotalFlow Production Manager

**TotalFlow Production Manager** offers a complete job management solution for corporate print rooms and copy shops where there is the requirement to manage and queue jobs for output across multiple engines or where there are large quantities of jobs to manage to meet challenging schedules and deadlines.

TotalFlow Production Manager allows job status, job priority and media libraries to be managed from a single solution complete with optional advanced imposition and integrated pre-flight.

**TotalFlow Production Manager** and **TotalFlow Prep** can be used with a variety of Digital Front Ends including Ricoh GWNX, TotalFlow Print Server and EFI Fiery and a custom connector offers connectivity to third party solutions (professional services costs may apply).

## Color-Logic Inc

**Color-Logic** offers a solution that eases the challenges associated with designing, communicating and printing CMYK + White onto metallic and specialised substrates for output on the Ricoh Pro C7200sx Series colour sheet fed digital press.

Color-Logic drives value and profit for both you and your clients, allowing you to offer corporate clients and agencies stand out for their products on the shelf, no matter whether it is the front page of a special edition magazine, short run packaging, business cards or invitations for a special event or occasion.

## FusionPro®

**FusionPro** is an Adobe Acrobat™ plug-in offering a powerful personalisation and typesetting toolkit within an existing and familiar application.

With FusionPro you can produce personalised, targeted printed output that helps your clients drive higher response rates and link to online content via a library of QR codes. PDF templates are combined with customer data to produce imposed print ready optimised output files in a variety of formats complete with output marks, colour bars and other page furniture.

# RICOH Pro C7200sx

## MAIN SPECIFICATIONS

GENERAL		DIGITAL FRONT ENDS	
Model Name:	Pro C7200x, Pro C7210x, Pro C7200sx, Pro C7210sx	<b>E45-A</b>	
Technology:	5-drum dry electrostatic transfer system with internal transfer belt	Configuration:	Optional: External
Fusing:	Oil-less, belt fusing method	System Version:	Fiery System FS300 Pro
Print Speed:	Pro C7200x & Pro C7200sx - 85ppm Pro C7210x & Pro C7210sx - 95ppm	CPU:	Intel i5 6500 (3.2GHz up to 3.6GHz with Turbo)
Print Resolution:	Max: 2400 x 4800dpi	Memory:	8GB (4GB x 2)
Warm Up Time:	Less than 300 sec	HDD:	1TB
Dimensions (WxDxH):	Pro C7200x & Pro C7210x 1320 x 910 x 1218mm Pro C7200sx & Pro C7210sx 1320 x 910 x 1230mm	CD-ROM Drive:	Supported DVD RW Drive
Weight:	Pro C7200x & Pro C7210x Less than 560Kg Pro C7200sx & Pro C7210sx Less than 580Kg	Operating System:	Windows 10 Enterprise Systems x64
Power Source:	220-240V, 16A, 50/60Hz	<b>E85-A</b>	
Power Consumption:	Less than 5,000W	Configuration:	Optional: External
Life:	14,400,000 A4 prints or 5 years	System Version:	Fiery System FS300 Pro
Duty Cycle:	Pro C7200x & Pro C7200sx 650,000 impressions per month Pro C7210x & Pro C7210sx 800,000 impressions per month	CPU:	Intel Xeon E5-2637 V4 (3.5GHz with 3.7GHz Turbo)
		Memory:	16GB (4GB x 4)
		HDD:	500GB + 2 x 2TB SATA RAID 0
		CD-ROM Drive:	Supported DVD RW Drive
		Operating System:	Windows 10 Enterprise Systems x64
		<b>TotalFlow Print Server R-62A</b>	
		Configuration:	Optional: External
		CPU:	6th Gen Core i7 - 6700 3.4GHz
		Memory:	Standard: 32GB (16GB x 2) Optional: 32GB (16GB x 2)
		HDD:	Standard: 1TB SATA x 3 Optional: 1TB x 1
		CD-ROM Drive:	Supported DVD Drive
		Operating System:	Linux
		<b>Other Options</b>	
			Vacuum Feed LCT (RT5120), A3 LCT (RT5110), Bridge Unit (BU5010), Multi Bypass Tray (BY5020), Multi Bypass Banner Sheet Tray, Vacuum Feed Banner tray, BDT Banner Sheet LCT, Staple Finisher (SR5050), Booklet Finisher (SR5060), Front Edge Trimmer (TR5040), High Capacity Stacker (SK5040), High Capacity Interposer Tray (HCI3500), Ring Binder (RB5020), Perfect Binder (GB5010), Multi Folding Unit (FD5020), Decurl Unit, Buffer Pass Unit, 2-4 Hole Punch Unit, GBC StreamPunch, GBC StreamWire, Plockmatic Booklet Maker, Plockmatic Banner Sheet Stacker Tray, Watkiss Booklet Maker, Duplo Booklet Maker.
		<b>Workflow Solutions</b>	
			RicohTotalFlow: Prep, Production Manager, Ricoh ProcessDirector, BatchBuilder, MarcomCentral, FusionPro VDP Suite, EFI: Digital StoreFront, Colour Profiler Suite, Graphic Arts Premium Package, Impose, Compose, Fiery Central OL Connect Suite, CGS ORIS Lynx & PressMatcher, Color-Logic Inc, Touch7.
		<b>Environmental Information</b>	
			Pro C7200sx Series models comply with the Energy Star 2.0 Standards.
			Please Note: Unless stated otherwise the data used in this brochure is based on A4 80gsm standard media.
			<i>For availability of models, optional apparatus and software, please contact your local Ricoh representative.</i>
MEDIA HANDLING			
Paper Input Capacity:	1st Tray (std) 1,000 sheets x2 (Tandem) 2nd Tray (std) 500 sheets Optional: A3/DLT/LCT 3rd Tray 1,000 sheets 4th Tray 2,000 sheets 5th Tray 1,000 sheets Optional: Vacuum Feed LCT All Tray 2,200 sheets each (Tray 3-8) Optional: Bypass Tray 500 sheets		
Maximum Printable Area:	323 x 480mm / 12.7" x 18.9" 323 x 1252mm / 12.7" x 49.2" (when using optional banner sheets tray)		
Paper Weight:	1st Tray (std) 52 - 300gsm 2nd Tray (std) 52 - 256gsm Optional: A3/DLT/LCT 3rd Tray 52 - 256gsm 4th Tray 52 - 360gsm 5th Tray 52 - 360gsm Optional: Vacuum Feed LCT All Trays 52 - 360gsm (Tray 3 - 8 ) Optional: Bypass Tray 52 - 216gsm		
Duplex:	52 - 360gsm		

**RICOH**  
imagine. change.

[www.ricoh-ap.com](http://www.ricoh-ap.com)

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467  
Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2017 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.